

Certificate of Analysis



Client:
Profound Aminos

Laboratory:
TrustPointe Analytics LLC
1743 142nd Ave Suite 4
Dorr, MI 49323



Key=6SCXQCP0Z5TV

Sample Information

Sample Name	Tirz 30	Client SID	Sample B	TrustPointe ID	SPL-0018-S01
-------------	---------	------------	----------	----------------	--------------

Results for SPL-0018-S01

HPLC Assay	Result	Unit	Range
ID by RT	0.99		0.98 - 1.02
ID by Spectral Comparison	989		>= 950
Assay - Potency ¹	32.001	mg	
Assay - Purity	99.714	%	
Coelution Control	999		>= 950
HPLC System Suitability	NA	%RSD	<= 2.0
HPLC System Suitability	0.2	%RSD	(RT) <= 2.0

¹%LC : 106.67

Results for SPL-0018

HPLC Assay	Result	Unit	Range
ID by RT	1.00		0.98 - 1.02
ID by Spectral Comparison	990		>= 950
Assay - Potency ²	32.322	mg	
Assay - Purity	99.618	%	
Coelution Control	999		>= 950
HPLC System Suitability	NA	%RSD	<= 2.0
HPLC System Suitability	0.4	%RSD	(RT) <= 2.0
HPLC System Suitability	0.2	%RSD	(RT) <= 2.0

¹%LC : 106.67

²%LC : 107.74

Attachments for SPL-0018-S01



Attachment for SPL-0018-S01

Filename: SPL-0018.PNG

Attachments for SPL-0018



Attachment for SPL-0018
Filename: SPL-0018.PNG

Approvals

Created by

Ashlee Lust
President

Reviewed by

Joshua Lust
Managing Director

△ Result out of client specified range.

Analysis results relate only to the samples tested.

This document shall not be reproduced except in full, without the written approval of TrustPointe Analytics LLC

Certificate of Analysis



Client:
Profound Aminos

Laboratory:
TrustPointe Analytics LLC
1743 142nd Ave Suite 4
Dorr, MI 49323



Key=0G2GJ3SEAAIL

Sample Information

Sample Name	Tirz 10mg	Client SID	Tirz 10mg Peptide Factory Transparent Green Cap
-------------	-----------	------------	---

Results

Lab Analyses

Sample ID	SPL-0064
TM-1001 Tirzepatide ID by RT	1.00
TM-1001 Tirzepatide ID by Spectral	1000
TM-1001 Tirzepatide Assay	12.030 mg
TM-1001 Tirzepatide Purity	99.786 %
TM-1001 Coelution Control	1000
TM-1001 System Suitability	0.1 %RSD

Approvals

Created by

Ashlee Lust
President

Reviewed by


Joshua Lust
Managing Director

△ Result out of client specified range.

Analysis results relate only to the samples tested.

This document shall not be reproduced except in full, without the written approval of TrustPointe Analytics LLC

Attachments for SPL-0064



Attachment for SPL-0064
Filename: SPL-0064.png

Certificate of Analysis



Client:
Profound Aminos

Laboratory:
TrustPointe Analytics LLC
1743 142nd Ave Suite 4
Dorr, MI 49323



Key=VLOFJWIOZZBG

Sample Information

Sample Name	Tirz 60mg	Client SID	Tirz 60mg Peptide Factory
-------------	-----------	------------	---------------------------

Results

Lab Analyses

Sample ID	SPL-0065
TM-1001 Tirzepatide ID by RT	1.00
TM-1001 Tirzepatide ID by Spectral	1000
TM-1001 Tirzepatide Assay	63.042 mg
TM-1001 Tirzepatide Purity	99.849 %
TM-1001 Coelution Control	1000
TM-1001 System Suitability	0.1 %RSD

Approvals

Created by

Ashlee Lust
President

Reviewed by

Joshua Lust
Managing Director

△ Result out of client specified range.

Analysis results relate only to the samples tested.

This document shall not be reproduced except in full, without the written approval of TrustPointe Analytics LLC

Attachments for SPL-0065



Attachment for SPL-0065

Filename: SPL-0065.png